

What is claimed is:

1. A container to store articles, comprising:  
a body defining a first opening; and  
a cover coupled to the body to close the first opening of the body;  
wherein: the cover has a surface defining at least one second opening; and  
the cover comprises at least one lid coupled to the cover to selectively  
open and close the second opening.
2. The container of claim 1, wherein the cover defines a cavity and the  
second opening and the lid are located in the cavity, the container further comprising:  
a second cover adapted to fit into the cavity in the cover.
3. The container of claim 2, wherein the second cover completely covers the  
cavity.
4. The container of claim 2, wherein the second cover completely covers the  
second opening and the lid.
5. The container of claim 1, wherein the cover further comprises an outer rim  
and a tear strip at the bottom of the outer rim for releasing the cover from the body.
6. The container of claim 1, wherein the second opening is adapted to receive  
a human hand when the lid is opened.
7. The container of claim 1, wherein the lid has a shape chosen from the  
group consisting of a rectangle, a triangle, a circle, and a semicircle.
8. The container of claim 1, wherein the lid further comprises a snapper to  
engage a portion of the cover defining the second opening to secure the lid in a closed position.
9. The container of claim 1, wherein the cover is removable from the body.

10. The container of claim 1, wherein the lid and the second opening are fully within the cover.
11. The container of claim 1, wherein the lid is coupled to the cover via a pivotable connection.
12. The container of claim 11, wherein the pivotable connection comprises a hinge.
13. A cover for a container, the cover comprising:  
a surface defining a cavity and at least one opening in the cavity;  
at least one lid coupled to the surface to selectively open and close the opening; and  
the cover further comprises a second cover adapted to fit into the cavity in the cover.
14. The cover of claim 13, wherein the cavity is defined by the surface defining the at least one opening.
15. The container of claim 13, wherein the second cover completely covers the cavity.
16. The container of claim 13, wherein the second cover completely covers the opening and the lid.
17. The container of claim 13, wherein the cover further comprises:  
an outer rim and a tear strip at the bottom of the outer rim for releasing the cover from the body.
18. The container of claim 13, wherein:  
the opening is adapted to receive a human hand when the lid is opened.

19. The container of claim 13, wherein the lid has a shape chosen from the group consisting of a rectangle, a triangle, a circle, and a semicircle.
20. The container of claim 13, wherein the lid further comprises a snapper to engage a portion of the cover defining the opening to secure the lid in a closed position.
21. The container of claim 13, wherein the lid and the opening are fully within the cover.
22. The container of claim 13, wherein the lid is coupled to the cover via a pivotable connection.
23. The container of claim 22, wherein the pivotable connection comprises a hinge.
24. A container storing articles, comprising:
  - a body defining a first opening; and
  - a cover coupled to the body to close the body;
  - wherein:
    - the cover comprises a surface having at least one opening and at least one lid coupled to the cover to selectively open and close the opening;
    - wherein:
      - the cover defines a cavity, and
      - the container further comprises a second cover adapted to fit into the cavity in the cover, wherein the opening and the lid are located in the cavity; and
      - a plurality of articles within the body.
25. The container of claim 24, wherein the fasteners are chosen from a group consisting of nuts, screws, nails, and bolts.

26. A cover for a container, the cover comprising:
- a surface having at least one opening;
  - the cover defining a cavity, the opening being located in the cavity; and
  - the cover further comprising:
    - a member adapted to fit into the cavity to cover at least a portion of the
- cavity.